




**GET HOT WATER IMMEDIATELY
AND MOVE ON WITH YOUR DAY**

GRUNDFOS 

Possibility in every drop



SAVE WATER



SAVE ELECTRICITY



SAVE MONEY

*The Circulator pump may be an integrated part of the heat pump unit.

COMFORT PUMP

Most efficient circulator pump for single family houses

The Grundfos COMFORT PUMP sets new standards for energy efficient and intelligent hot water recirculation in private homes. The intelligent COMFORT AUTOADAPT automatically adapts to the individual's hot water consumption pattern in the household and only runs when hot water is needed.



Weighs just 1 kg
and fits in
your hand



Electricity
consumption of
just Rs.10/- month*



Can handle
water from
2°C - 95°C



Takes less than
30 mins for
installation



Noise level that
do not disturb
anyone's sleep

*considering pump runs for 4 hours / day.

GRUNDFOS COMFORT PUMP

Available in 3 variants



AUTOADAPT (BA)
Smart and fully automated



DIGITAL TIMER (BDT)
Perfectly scheduled (BDT)



Available without valves**



Basic (B)
High performance

Control modes based on:



Temperature control



Usage pattern




Scheduled based
on timer

100%

Runs 24x7

PUMP CURVE



UPS

Robust circulator pump best suited for multi-family houses

UPS range of domestic pumps are whisper-quiet and maintenance-free. The 3-speed switch on the UPS allows you to adjust the pump speed to meet the needs of your system, which reflects in reducing energy consumption and saving you money.



Adjustable 3
speed pump



Can handle
water pressure
upto 10 bar



Takes less
than 30
mins for
installation



Can handle
water from
2°C to 110°C




Available in wide
range – flow, head,
and material of
construction* for
extreme conditions



Extremely
compact &
consumes
less space

* Cast Iron , Stainless steel, Composite

DIMENSIONS:




Pump type	Dimensions [mm]						Weights [kg]
	L	H1	H2	B1	B2	G	
UPS 15-60	130	28	102	75	47	1"	2.3
UPS 25-80	180	46	121	82	62	1 1/2"	4.4
UPS 25-120	180	32	130	82	69	1 1/2"	4.4

These variants are for illustrative purposes only. However, there are a wide range of products available. Please visit our website or reach out to Grundfos sales team to know about any other variants.


PUMP CURVE:

UPS 15-60




Max energy consumption: 70W

UPS 25-80



Max energy consumption: 165W

UPS 25-120



Max energy consumption: 230W

MAGNA3

Smart circulator pump for smart homes

MAGNA3 is a circulator pump with permanent magnet motor that will fit both heating, cooling and domestic hot water circulation, making it the obvious choice for almost any building project old or new. The MAGNA3 is a pump with no maintenance requirements and with extremely low Life Cycle Cost.



Can run at any speed (VFD)



Highly Intelligent



Can handle water from -10°C to 110°C




Fully equipped (does not need external control panel and temperature sensor)



Intuitive user interface saves time during installation

PUMP CURVE:



These variants are for illustrative purposes only. However, there are a wide range of products available. Please visit our website or reach out to Grundfos sales team to know about any other variants.

COMFORT SYSTEM VALVE

No return line?? We have you sorted

Now you can upgrade your house with instant hot water supply even without a return line with our COMFORT System Valve.



Trademarks displayed in this material, including but not limited to Grundfos and the Grundfos logo are registered trademarks owned by The Grundfos Group. All rights reserved @grundfospumpsindiaprivatelimited2023, all rights reserved.

GRUNDFOS 

Possibility in every drop